British Birds

Comprehensive index

to Volume 55

1962

FIVE SHILLINGS

Binding

Volume 55 (1962) may now be sent for binding at a cost of sixteen shillings including return postage. Earlier volumes can also be bound at this rate. Please complete the form on the back cover and send it with your copies and the correct money to:

British Birds (Binding)
61-62 Watling Street, London, EC4

Please complete the binding form on the back cover

Comprehensive index

Compiled by Mrs. N. D. Blamire

Entries are in a single list with references to:

(1) every significant mention of each species, not only in titles, but also within the text of papers and notes, including all those appearing in such lists as the "Report on bird-ringing for 1961" and the "Report on rare birds in Great Britain in 1961"; in such groups as "Duck", "Thrush" and "Warbler" there are cross-references to those species which do not bear the family name and so appear elsewhere, e.g. "Wigeon", "Fieldfare" and "Blackcap";

(2) scientific nomenclature under generic names only (following the 1952 B.O.U. *Check-list of the Birds of Great Britain and Ireland*, but without strict adherence to original orthography and amended as in *Ibis*, 98: 157-168 and 99: 369);

(3) authors of all papers, notes, reviews and letters, and photographers; papers are referred to by their titles, other contributions as "note on", "review of", etc.;

(4) a few subject headings, i.e. "Breeding", "British Trust for Ornithology field investigations", "Display", "Editorials", "Field-characters", "Food", "Hastings Rarities," "Migration", "Obituary," "Reports and news" and "Requests for information";

(5) "Reviews", which are listed together under this heading in alphabetical order of authors reviewed.

Accentor, Alpine, statistical analysis of Hastings records, 283-97
Accipiter gentilis, see Goshawk
—— *nisus*, see Sparrowhawk
Acrocephalus arundinaceus, see Warbler, Great Reed
—— —— *orientalis*, see Warbler, Eastern Great Reed
—— *paludicola*, see Warbler, Aquatic
—— *palustris*, see Warbler, Marsh
—— *schoenobaenus*, see Warbler, Sedge
—— *scirpaceus*, see Warbler, Reed
Aegithalos caudatus, see Tit, Long-tailed
Aegolius funereus, see Owl, Tengmalm's
Agelaius phoeniceus, see Blackbird, Red-winged
Agrobates galactotes galactotes, see Warbler, Rufous
—— —— *syriaca*, see Warbler, Brown-backed
Alauda arvensis, see Skylark
Alca torda, see Razorbill
Alcedo atthis, see Kingfisher
Alder, L. P., note on Song Thrush incapacitated by seed heads, 89
Alectoris rufa, see Partridge, Red-legged
Alexander, H. G., letter on the Hastings Rarities, 453
——, ——, see Richardson, R. A.
Anas acuta, see Pintail
—— *crecca*, see Teal
—— —— *carolinensis*, see Teal, Green-winged
—— *discors*, see Teal, Blue-winged
—— *penelope*, see Wigeon
—— *platyrhynchos*, see Mallard
—— *querquedula*, see Garganey
—— *strepera*, see Gadwall
Anser albifrons, see Goose, White-fronted
—— *anser*, see Goose, Grey Lag
—— *brachyrhynchus*, see Goose, Pink-footed
—— *caerulescens*, see Goose, Snow
—— *erythropus*, see Goose, Lesser White-fronted
—— *fabalis* see Goose, Bean
Anthus campestris, see Pipit, Tawny
—— *cervinus*, see Pipit, Red-throated
—— *novaeseelandiae richardi*, see Pipit, Richard's
—— *pratensis*, see Pipit, Meadow

Anthus spinoletta petrosus, see Pipit, Rock
—— —— *spinoletta*, see Pipit, Water
—— *trivialis*, see Pipit, Tree
Aphelocoma caerulescens, see Jay, Scrub
Apus apus, see Swift
—— *melba*, see Swift, Alpine
Aquila chrysaëtos, see Eagle, Golden
—— *pomarina*, see Eagle, Lesser Spotted
Ardea cinerea, see Heron
—— *purpurea*, see Heron, Purple
Ardeola ralloides, see Heron, Squacco
Arenaria interpres, see Turnstone
Ash, J. S., note on Calandra Lark in Dorset, 44-6; residues of toxic seed-dressings in Pheasants' eggs, 478-80
Asio flammeus, see Owl, Short-eared
—— *otus*, see Owl, Long-eared
Athene noctua, see Owl, Little
Auk, Little, numbers ringed 1961, 501
Avocet, at Minsmere, 589, plate 83b
Axell, H. E., note on Water Rail killing Wren, 132; review of Williamson: *Identification for Ringers, 2. The Genus Phylloscopus*, 422; some studies of waders at Minsmere, 584-9, plates 80-88
Aythya ferina, see Pochard
—— *fuligula*, see Duck, Tufted
—— *marila*, see Scaup
—— *nyroca*, see Duck, Ferruginous

Ballance, David K., see Palmer, Eileen M.
Bartramia longicauda, see Sandpiper, Upland
Beckerlegge, J. E., Bourne, W. R. P., and Parslow, J. L. F., note on Wilson's Phalarope in Cornwall, 183-5
Bee-eater, statistical analysis of Hastings records, 283-97; Hastings records rejected, 360-2; photograph, plate 33
Bennett, G. R., note on unusual death of House Martin, 135
Bentham, Howard, note on Barn Owl sunbathing, 482
Berry, John, review of Sedgwick, Whitaker and Harrison: *The New Wildfowler*, 94
Bishop, Red-crowned, albinism in, 203
Bittern, albinism in, 223; breeding in Barycz valley, Poland, 252-3, 261, 268; numbers ringed and recovered 1961, 501; foreign-ringed recovery in Britain, 544
Bittern, American, statistical analysis of Hastings records, 283-97; Hastings record rejected, 350
——, Little, Hastings records rejected, 350; accepted record 1960: correction, 565; accepted record 1961, 568
Blackbird, habitats in London suburb, 5-8, 10-1, 15-8, 21, 24, 28-30; bill deformity in, 64; eating blackberries, 88; dead on nest after grass fire, 90; weights of dead birds, Skomer, January 1962, 98-9, 102; reversed migration, 149; recovering from collapsed eye, 166, plate 23c; rearing five broods in one season, 189-90; albinism in, 204, 208, 210-3, 219, 224, plates 41, 42b; breeding in Barycz valley, Poland, 257, 261, 270; attacking Slow-worm, 445; nesting in aircraft, 463; numbers ringed and recovered 1961, 500, 528; foreign-ringed recoveries in Britain, 552; eating egg, 591; photograph, plate 36
——, Red-winged, albinism in, 212, 219
Blackcap, status in London suburb, 7-8, 11, 16, 33; weight of bird with abnormal bill, 66; eating blackberries, 88; breeding in Barycz valley, Poland, 257, 271; numbers ringed and recovered 1961, 500, 532; foreign-ringed recovery in Britain, 554
Blackett, A., and Ord, W., note on Lesser Whitethroats breeding in Northumberland, 445
Blair, H. M. S., studies of less familiar birds: 119. Great Grey Owl, 414-8; review of Curry-Lindahl: *Våra Fåglar i Norden*, 488-92
Bluethroat, eating blackberries, 88; status in Barycz valley, Poland, 264, 271; numbers ringed 1961, 500
——, Red-spotted, statistical analysis of Hastings records, 283-97
——, White-spotted, statistical analysis of Hastings records, 283-97; Hastings records rejected, 364
Blundell, Alfred R., note on Water Rail drowning small passerines, 165
Boddy, S., see Pearson, D. J.
Bombycilla garrulus, see Waxwing

Botaurus lentiginosus, see Bittern, American
—— *stellaris*, see Bittern
Bottomley, J. B. and S., photograph of Long-tailed Tit, plate 32; of female Great Spotted Woodpecker, plate 34
Bourne, W. R. P., see Beckerlegge, J. E.
Boyd, A. W., Memorial Observatory, 448
Brambling, albinism in, 224; passage-migrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 501, 541; foreign-ringed recovery in Britain, 556
Branta bernicla, see Goose, Brent
—— *canadensis*, see Goose, Canada
—— *leucopsis*, see Goose, Barnacle
Breeding: Blackbird, 189-90. Nests: Cuckoo, 444; Grackle, 466; House Martin, 134; Jackdaw, 463; Blackbird, 11, 463; Pied Wheatear, 463; Robin, 464; Wood Warbler, 446; Pied Wagtail, 465; Grey Wagtail, 279; Starling, 465; Goldfinch, 447; House Sparrow, 467
Bridgman, C. J., birds nesting in aircraft, 461-70
British Trust for Ornithology field investigations: urban Starling roosts, 424; inland wintering of gulls, 424
Brook, Arthur, photographs of Swift, plates 10-12
Bubo bubo, see Owl, Eagle
Bucephala albeola, see Buffelhead
—— *clangula*, see Goldeneye
Budgerigar, bill deformities in, 62-3; numbers clinging to intruding Barn Owl, 238
Buffelhead, accepted record 1961, 569
Bullfinch, infestation rate, 69; eating blackberries, 88; melanism in, 217, 225; albinism in, 224; escaping from cat by "playing dead", 420; numbers ringed and recovered 1961, 500, 539
——, Northern, statistical analysis of Hastings records, 283-297
Bulweria bulwerii, see Petrel, Bulwer's
Bunce, H. O., and Richards, Brent, note on Ross's Gull in Yorkshire, 480-1
Bunting, Black-headed, statistical analysis of Hastings records, 283-97; Hastings records rejected, 370
Bunting, Cirl, numbers ringed and recovered 1961, 501
——, Corn, albinism in, 224; breeding in Barycz valley, Poland, 254, 259, 272; numbers ringed 1961, 501
——, Eastern Large-billed Reed, statistical analysis of Hastings records, 283-97; deleted from British list 343; Hastings record rejected, 372
——, Lapland, numbers ringed 1961, 502
——, Little, statistical analysis of Hastings records, 283-97; numbers ringed 1961, 502; accepted records 1961, 583
——, Ortolan, breeding in Barycz valley, Poland, 259, 272; statistical analysis of Hastings records, 283-97; numbers ringed 1961, 502
——, Red-headed, numbers ringed 1961, 502; records 1961, 582
——, Reed, albinism in, 224; breeding in Barycz valley, Poland, 252-3, 261, 272; numbers ringed and recovered 1961, 501, 541
——, Rock, photographic study, 158-62, plates 24-28; statistical analysis of Hastings records, 283-97; Hastings records rejected, 370
——, Rustic, statistical analysis of Hastings records, 283-97; Hastings records rejected, 372
——, Snow, bill deformity in, 58; drift theory to account for recovery of Fair Isle ringed bird in Newfoundland, 198; albinism in, 224; vagrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 501, 541
——, Western Large-billed Reed, statistical analysis of Hastings records, 283-97; deleted from British list, 343; Hastings records rejected, 372
——, Yellow, see Yellowhammer
——, Yellow-breasted, accepted record 1961, 583
Burhinus oedicnemus, see Curlew, Stone
Bustard, Eastern Little, statistical analysis of Hastings records, 283-97; Hastings records rejected, 352-4
Buteo buteo, see Buzzard
—— *lagopus*, see Buzzard, Rough-legged
Buzzard, albinism in, 223; melanism in, 224; breeding in Barycz valley,

Poland, 256, 268; food in Poland, 470-5; numbers ringed and recovered 1961, 498
Buzzard, Honey, digging out a wasps' nest, 36, plates 3-5; albinism in, 223; melanism in, 224; breeding in Barycz valley, Poland, 256, 263, 268
——, Rough-legged, melanism in, 224; passage-migrant in Barycz valley, Poland, 272

Caird, V. M., note on probable inheritance of crossed mandibles in Robins, 136
Calandrella cinerea, see Lark, Short-toed
Calcarius lapponica, see Bunting, Lapland
Calidris acuminata, see Sandpiper, Sharp-tailed
—— *alpina*, see Dunlin
—— *bairdii*, see Sandpiper, Baird's
—— *canutus*, see Knot
—— *fuscicollis*, see Sandpiper, White-rumped
—— *maritima*, see Sandpiper, Purple
—— *melanotos*, see Sandpiper, Pectoral
—— *minuta*, see Stint, Little
—— *pusilla*, see Sandpiper, Semipalmated
—— *temminckii*, see Stint, Temminck's
—— *testacea*, see Sandpiper, Curlew
Campbell, Bruce, letter on What is a British bird?, 96; note on Great Spotted Woodpeckers taking thistle heads, 165; on Goldfinch nesting in Virginia creeper, 447
Capercaillie, albinism in, 213, 223
Caprimulgus europaeus, see Nightjar
Carduelis cannabina, see Linnet
—— *carduelis*, see Goldfinch
—— *flammea*, see Redpoll
—— *flavirostris*, see Twite
—— *hornemanni*, see Redpoll, Arctic
—— *spinus*, see Siskin
Carlson, K. J., photograph of Rock Bunting, plate 27
——, R. G., photograph of Rock Bunting, plate 28
Carpodacus erythrinus, see Grosbeak, Scarlet
Carr, Douglas, letter on destruction of House Martins' nests, 199
Casarca ferruginea, see Shelduck, Ruddy
Cassidix mexicanus, see Grackle, Great-tailed
Catharacta skua, see Skua, Great
Cepphus grylle, see Guillemot, Black
Certhia brachydactyla, see Treecreeper, Short-toed
—— *familiaris*, see Treecreeper
Cettia cetti, see Warbler, Cetti's
Chaffinch, habitats in London suburb, 6-8, 12, 15-6, 19, 27-8, 30; infestation rate, 69; weights of dead birds, Skomer, January 1962, 98-9, 102; changes in direction on migration from Norway, 147; drowned by Water Rail, 165; albinism in, 211, 224; breeding in Barycz valley, Poland, 253, 257, 261, 271; migration over E. England recorded on radar film, 391-414; cnemidocoptic mange in, 421; crossing Atlantic westward on ship, 447; numbers ringed and recovered 1961, 501, 540; foreign-ringed recoveries in Britain, 556
Chainey, R., see Mole, D. C.
Chapman, Stephen E., note on Turtle Dove crossing the Atlantic westward on a ship, 444
Charadrius alexandrinus, see Plover, Kentish
—— —— *ruficapillus*, see Dotterel, Red-capped
—— *apricarius*, see Plover, Golden
—— *asiaticus*, see Plover, Caspian
—— *dominicus dominicus*, see Plover, American Golden
—— —— *fulvus*, see Plover, Asiatic Golden
—— *dubius*, see Plover, Little Ringed
—— *hiaticula*, see Plover, Ringed
—— —— *semipalmatus*, see Plover, Semipalmated Ringed
—— *melanops*, see Dotterel, Black-fronted
—— *morinellus*, see Dotterel
—— *squatarola*, see Plover, Grey
—— *vociferus*, see Killdeer
Chat, Yellow-breasted, autumn migration in N. America, 75
Chiffchaff, status in London suburb, 16, 23; eating blackberries, 88; albinism in, 224; melanism in, 225; breeding in Barycz valley, Poland, 257, 271; numbers ringed and re-

covered 1961, 500, 533; foreign-ringed recovery in Britain, 554
Chiffchaff, Scandinavian, statistical analysis of Hastings records, 283-97
——, Siberian, statistical analysis of Hastings records, 283-97
Chlidonias hybrida, see Tern, Whiskered
—— *leucopterus*, see Tern, White-winged Black
Chloris chloris, see Greenfinch
Chough, post-fledging behaviour, 229-33; statistical analysis of Hastings records, 283-97; numbers ringed and recovered 1961, 499
Ciconia ciconia, see Stork, White
—— *nigra*, see Stork, Black
Cinclus cinclus, see Dipper
Circaëtus gallicus, see Eagle, Short-toed
Circus aeruginosus, see Harrier, Marsh
—— *cyaneus*, see Harrier, Hen
—— *pygargus*, see Harrier, Montagu's
Clamator glandarius, see Cuckoo, Great Spotted
Clangula hyemalis, see Duck, Long-tailed
Clegg, T. M., note on pre-coital display of Magpies, 88
Coccothraustes coccothraustes, see Hawfinch
Coccyzus americanus, see Cuckoo, Yellow-billed
Columba livia, see Dove, Rock, and Pigeon, Feral
—— *oenas*, see Dove, Stock
—— *palumbus*, see Woodpigeon
Cooke, D. A. P., note on Kestrels feeding on scraps dropped by picnic parties, 590
Coot, albinism in, 223; breeding in Barycz valley, Poland, 252-3, 261, 269; numbers ringed and recovered 1961, 498, 511; foreign-ringed recovery in Britain, 547
Coracias garrulus, see Roller
Cordero, Raymond, review of Davies: *The Bird Notes Bedside Book*, 493-4
Cormorant, albinism in, 223; status in Barycz valley, 265, 268, 272; numbers ringed and recovered 1961, 498, 505
——, Socotra, bill deformity in, 69
Corncrake, albinism in, 223, plate 43; numbers ringed 1961, 498
Cornwallis, R. K., review of Joint Committee of B.T.O. and R.S.P.B. on Toxic Chemicals *Report No.* 2, 195-6
Corvus corax, see Raven
—— *corone corone*, see Crow, Carrion
—— —— *cornix*, see Crow, Hooded
—— *frugilegus*, see Rook
—— *monedula*, see Jackdaw
Coturnix coturnix, see Quail
Coulson, J. C., and Macdonald, A., recent changes in the habits of the Kittiwake, 171-7
Courser, Cream-coloured, statistical analysis of Hastings records, 283-97; Hastings records rejected, 358
Cowdy, Susan, post-fledging behaviour of Choughs on Bardsey Island, 229-33
Cragg, J. B., special review of Wynne-Edwards: *Animal Dispersion in Relation to Social Behaviour*, 437-42
Crake, Baillon's, statistical analysis of Hastings records, 283-97; Hastings records rejected, 352
——, Little, statistical analysis of Hastings records, 283-97; Hastings records rejected, 352; accepted record 1961, 571
——, Spotted, breeding in Barycz valley, Poland, 253, 269
Crakes, see also Corncrake
Crane, breeding in Barycz valley, Poland, 254, 269, plate 50a; accepted records 1961, 571
Crex crex, see Corncrake
Crisp, D. T., note on Chaffinches crossing the Atlantic westward on a ship, 447
Crocethia alba, see Sanderling
Crossbill, variation in direction of crossing of mandibles, 52; infestation rate, 69; albinism in, 224; feeding on beechmast and hazel nuts, 592
——, Two-barred, statistical analysis of Hastings records, 283-97; Hastings records rejected, 370, 374
Crow, Carrion, habitats in London suburb, 6-9, 28, 30; albinism in, 224; killing Kestrel, 482; numbers ringed and recovered 1961, 499
——, Hooded, crossed mandibles in, 54; asleep on ground, 135; displacement experiments on migrating birds, 139; albinism in, 224; breeding in Barycz valley, Poland, 253, 257, 261

270; numbers ringed and recovered 1961, 499
Crows, see also Chough, Jackdaw, Jay, Magpie, Raven, Rook
Cuckoo, status in London suburb, 23; albinism in, 223; breeding in Barycz valley, Poland, 253, 256, 269; two eggs in one nest, 444; juvenile imitating Meadow Pipit's call, 481; numbers ringed and recovered 1961, 499, 521
——, Great Spotted, Hastings record rejected, 360
——, Yellow-billed, statistical analysis of Hastings records, 283-97
Cuculus canorus, see Cuckoo
Curle, Richard, letter on the Hastings Rarities, 457
Curlew, bill deformity in, 62; albinism in, 203, 223; melanism in, 224; breeding in Barycz valley, Poland, 254, 269; numbers ringed and recovered 1961, 498, 513; foreign-ringed recoveries in Britain, 549; at Minsmere, 586-8
——, Slender-billed, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 356, 372
——, Stone, albinism in, 223; vagrant in Barycz valley, Poland, 272; habitats altered by myxomatosis, 431; numbers ringed and recovered 1961, 499, 515
Cyanosylvia svecica cyanecula, see Bluethroat, White-spotted
—— —— *svecica*, see Bluethroat, Red-spotted
Cygnus columbianus bewickii, see Swan, Bewick's
—— *cygnus*, see Swan, Whooper
—— *olor*, see Swan, Mute

Dare, P. J., note on Siskins breeding in Devon, 193-5
Darlington, Arnold, note on House Martins building nest of cement, 134
Davis, Peter, River Warbler on Fair Isle: a bird new to Britain, 137-8, plate 23a; note on Dusky Warbler on Fair Isle, 190-2; Robin recaptures on Fair Isle, 225-9; note on Bonelli's Warbler on Fair Isle, 278
Deane, C. Douglas, Irish Golden Eagles and a link with Scotland, 272-4, plate 58
Delichon urbica, see Martin, House
Dendrocopos major, see Woodpecker, Great Spotted
—— *medius*, see Woodpecker, Middle Spotted
—— *minor*, see Woodpecker, Lesser Spotted
Devlin, T. R. E., Jenkins, A. R., and Lloyd-Evans, L., note on Sociable Plover in Hertfordshire, 236
Dipper, albinism in, 224; statistical analysis of Hastings records, 283-97; numbers ringed and recovered 1961, 500
Display: Common Gull, 133; Magpie, 88
Diver, Black-throated, passage-migrant in Barycz valley, Poland, 272
——, Red-throated, albinism in, 223; vagrant in Barycz valley, Poland, 272; numbers ringed 1961, 501
——, White-billed, accepted records 1961, 567
Doncaster, C. C., photographs of Swift, plates 13, 14; of Knot and Redshank, plate 36
Dotterel, numbers ringed 1961, 501
——, Black-fronted, foot-trembling, 240
——, Red-capped, foot-trembling, 240
Dove, Collared, albinism in, 210, 218; temporary melanism in, 217; numbers ringed 1961, 501
——, Rock, albinism in, 223; numbers ringed 1961, 499
——, Stock, status in London suburb, 6, 8, 16; albinism in, 223; breeding in Barycz valley, Poland, 256, 269; numbers ringed and recovered 1961, 499
——, Turtle, albinism in, 223; breeding in Barycz valley, Poland, 256, 269; crossing Atlantic westward on ship, 444; numbers ringed and recovered 1961, 499, 520
Doves, see also Woodpigeon
Dowitcher, statistical analysis of Hastings records, 283-97; Hastings records rejected, 354; accepted records 1961, 572
Drage, Colin, note on curious behaviour of Starlings, 168

Dryocopus martius, see Woodpecker, Black
Duck, Ferruginous, breeding in Barycz valley, Poland, 252-3, 261, 268, plate 51a; statistical analysis of Hastings records, 283-97; Hastings records rejected, 352, 372; accepted record 1960, 565; accepted records 1961, 569
——, Long-tailed, numbers ringed 1961, 501
—— Mandarin, numbers ringed, 1961, 501
——, Tufted, albinism in, 223; breeding in Barycz valley, Poland, 252-3, 268; numbers ringed and recovered 1961, 498, 509; foreign-ringed recovery in Britain, 546
Ducks, see also Buffelhead, Eider, Gadwall, Garganey, Goldeneye, Goosander, Mallard, Merganser, Pintail, Pochard, Scoter, Shelduck, Shoveler, Smew, Teal, Wigeon
Dunlin, albinism in, 223; melanism in, 224; passage-migrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 499; foreign-ringed recoveries in Britain, 549; at Minsmere, 586, plates 86b, 86c
Dunnock, habitats in London suburbs, 5-8, 11, 15-7, 21, 27-30; drowned by Water Rail, 165; albinism in, 219, 224; feeding methods, 279; beetles in plumage, 420; numbers ringed and recovered 1961, 500, 534

Eagle, Golden, attacking Reindeer, 42; albinism in, 223; Irish birds feeding on Scottish Blue Hares, 272-4, plate 58; numbers ringed 1961, 501
——, Lesser Spotted, breeding in Barycz valley, Poland, 263, 268, plate 55a
——, Short-toed, status in Barycz valley, Poland, 265, 268
——, White-tailed, albinism in, 223; breeding in Barycz valley, Poland, 254, 263, 268; statistical analysis of Hastings records, 283-97; accepted record 1961, 571
Eastwood, E., see Lack, David
Editorials: setting the record straight, 281-2; after Hastings, 425-7; sight records of unusual birds, 557-60
Egret, Little, foot-trembling, 240; statistical analysis of Hastings records, 283-97; accepted records 1961, 567
——, Snowy, foot-trembling, 240
Egretta alba, see Heron, Great White
—— *garzetta*, see Egret, Little
—— *thula*, see Egret, Snowy
Eider, albinism in, 223; numbers ringed and recovered 1961, 498, 509
——, King, statistical analysis of Hastings records, 283-97; Hastings record rejected, 352
Elgmork, K., behaviour of Pied Flycatchers during an eclipse of the sun, 385-7
Emberiza aureola, see Bunting, Yellow-breasted
—— *bruniceps*, see Bunting, Red-headed
—— *calandra*, see Bunting, Corn
—— *cia*, see Bunting, Rock
—— *cirlus*, see Bunting, Cirl
—— *citrinella*, see Yellowhammer
—— *hortulana*, see Bunting, Ortolan
—— *melanocephala*, see Bunting, Black-headed
—— *pusilla*, see Bunting, Little
—— *rustica*, see Bunting, Rustic
—— *schoeniclus*, see Bunting, Reed
—— —— *compilator*, see Bunting, Western Large-billed Reed
—— —— *tschusii*, see Bunting, Eastern Large-billed Reed
Ennion, E. A. R., note on food of tits, 187-8
Eremophila alpestris, see Shorelark
Erithacus rubecula, see Robin
Euodice malabarica, see Silverbill, Indian
Evans, P. R., note on Hooded Crow asleep on the ground, 135; on melanistic Black-headed Gulls in Northumberland, 275

Fairhurst, J., note on fledgling Spotted Flycatcher ensnared by nest material, 482
Falco columbarius, see Merlin
—— *naumanni*, see Kestrel, Lesser
—— *peregrinus*, see Peregrine
—— *subbuteo*, see Hobby
—— *tinnunculus*, see Kestrel
Falcon, Gyr, statistical analysis of Hastings records, 283-97; accepted

record 1960, 566; accepted records 1961, 571
Falcon, Peregrine, see Peregrine
——, Red-footed, statistical analysis of Hastings records, 283-97; Hastings records rejected, 352; accepted records 1961, 571
Falcons, see also Hobby, Kestrel, Merlin
Farrar, Guy B., photograph of Little Gull, plate 40
Ferguson-Lees, I. J., studies of less familiar birds: 116. Crested Lark, 37-42; some photographic studies of the Swift, 72-4
——, ——, and Williamson, Kenneth, Recent reports and news, see Reports and news
——, ——, see Nicholson E. M.
Field-characters: Spectacled Warbler, 91; Sardinian Warbler, 91; Subalpine Warbler, 91
Fieldfare, movements through London suburb, 24-6; weights of dead birds, Skomer, January 1962, 98-9, 101-2; evidence for redetermined movements, 153; mortality and weights in Anglesey, January 1962, 178-81; albinism in, 224; numbers ringed and recovered 1961, 500, 527; foreign-ringed recoveries in Britain, 552
Finch, Snow, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 372, 374
——, Zebra, temporary bill deformity, 54
Fincher, F., note on House Sparrow feeding young on cuckoo-spits, 239
Firecrest, numbers ringed 1961, 500
Flycatcher, Brown, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 366
——, Collared, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 366, 374
——, Pied, eating blackberries, 88; reversed migration, 149; no evidence of redetermined movements, 151; nest sanitation by unfledged young, 192; breeding in Barycz valley, Poland, 257, 271; behaviour during eclipse, 385-7; numbers ringed and recovered 1961, 500, 533
Flycatcher, Red-breasted, theory of reversed migration in autumn, 76-86; breeding in Barycz valley, Poland, 257, 265, 271; statistical analysis of Hastings records, 283-97; Hastings record rejected, 366; numbers ringed 1961, 500
——, Spotted, habitats in London suburb, 6, 8, 11, 23; weather factors preceding migration, 80-83; eating blackberries, 88; albinism in, 224; breeding in Barycz valley, Poland, 252-3, 257, 271; feeding on grasshopper, 278; nest sanitation by unfledged young, 446; fledgling ensnared by nest material, 482; numbers ringed and recovered 1961, 500, 533; foreign-ringed recovery in Britain, 554
Food: Golden Eagle, 272-4, plate 58; Buzzard, 470-5; Kestrel, 590; Turnstone, 241-4, plate 49; Spotted Redshank, 87; Black-headed Gull, 239; Tawny Owl, 591; Short-eared Owl, 591; Great Spotted Woodpecker, 165; Swallow, 166; Tits, 187-8; Marsh Tit, 89; Wren, 88; Mistle Thrush, 88; Redwing, 88; Blackbird, 591; Wheatear, 88; Stonechat, 88; Whinchat, 88; Redstart, 88; Nightingale, 88; Bluethroat, 88; Sedge Warbler, 88; Blackcap, 88; Barred Warbler, 88; Whitethroat, 88; Willow Warbler, 88; Chiffchaff, 88; Spotted Flycatcher, 88, 278; Pied Flycatcher, 88; Dunnock, 279; Crossbill, 592; House Sparrow, 239
Forster, G. H., note on Kingfisher attacking Kingfisher, 43
Fratercula arctica, see Puffin
Frigate-bird, accepted record 1960, 565
Fringilla coelebs, see Chaffinch
—— *montifringilla*, see Brambling
Fulica atra, see Coot
Fulmar, laying egg in Northamptonshire garden, 164; numbers ringed and recovered 1961, 498, 504
Fulmarus glacialis, see Fulmar

Gadwall, numbers ringed and recovered 1961, 498, 507

Galerida cristata, see Lark, Crested
Gallinago gallinago, see Snipe
—— *media*, see Snipe, Great
Gallinula chloropus, see Moorhen
Gannet, albinism in, 223; numbers ringed and recovered 1961, 498, 505
Garganey, albinism in, 223; breeding in Barycz valley, Poland, 254, 261, 268; numbers ringed and recovered 1961, 498, 507
Garrulus glandarius, see Jay
Gavia adamsii, see Diver, White-billed
—— *arctica*, see Diver, Black-throated
—— *stellata*, see Diver, Red-throated
Gelochelidon nilotica, see Tern, Gull-billed
Gilpin, Arthur, photographs of Rock Bunting, plates 24, 26; of Rock Sparrow, plates 29, 31
Glareola "nordmanni", see Pratincole, Black-winged
—— *pratincola*, see Pratincole
Godwit, Bar-tailed, weight of bird with abnormal bill, 66; albinism in, 223; numbers ringed and recovered 1961, 498, 513; at Minsmere, 585, 586
——, Black-tailed, breeding in Barycz valley, Poland, 254, 269; at Minsmere, 585, 588, plate 82b
Goldcrest, albinism in, 224; breeding in Barycz valley, Poland, 257, 271; numbers ringed 1961, 500
Goldeneye, passage-migrant in Barycz valley, Poland, 272; numbers ringed 1961, 501; foreign-ringed recoveries in Britain, 546
Goldfinch, habitats in London suburb, 7-8, 12, 15-6, 19; albinism in, 212, 224; melanism in, 217; unusual nest-site, 447; numbers ringed and recovered 1961, 500, 536
Goosander, passage-migrant in Barycz valley, Poland, 272; numbers ringed 1961, 501
Goose, Barnacle, albinism in, 223; foreign-ringed recoveries in Britain, 547
——, Bean, albinism in, 223; passage-migrant in Barycz valley, Poland, 272
——, Brent, albinism in, 223
——, Canada, numbers ringed and recovered 1961, 498, 510
——, Grey Lag, albinism in, 223; breeding in Barycz valley, Poland, 252-3, 261-2, 268, plates 53b, 54b; numbers ringed and recovered 1961, 498, 509
Goose, Lesser White-fronted, vagrant in Barycz valley, Poland, 272; accepted records 1961, 570
——, Pink-footed, bill deformity in, 65; albinism in, 223; vagrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 498, 510; foreign-ringed recoveries in Britain, 547
——, Snow, accepted records 1960, 565; accepted records 1961, 570
——, White-fronted, records in London suburb, 25, 26, 31; albinism in, 223; passage-migrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 498, 509; foreign-ringed recoveries in Britain, 546
Goshawk, breeding in Barycz valley, Poland, 256, 268; statistical analysis of Hastings records, 283-97; Hastings records rejected, 352
Grackle, nesting in aircraft, 466
——, Great-tailed, albinism in, 213
Gracula religiosa, see Grackle
Grebe, Black-necked, breeding in Barycz valley, Poland, 252-3, 261, 268, plate 53a
——, Great Crested, bill deformity in, 56; breeding in Barycz valley, Poland, 252-3, 261, 268; numbers ringed 1961, 501
——, Little, attacking Moorhens, 164; albinism in, 223; breeding in Barycz valley, Poland, 252-3, 261, 268; numbers ringed and recovered 1961, 498
——, Red-necked, albinism in, 223, plate 42, breeding in Barycz valley, Poland, 252-3, 261, 268, plate 51b; numbers ringed 1961, 501
——, Slavonian, numbers ringed 1961, 501
Greenfinch, habitats in London suburb, 6-8, 11, 15-7, 19, 30; weights of dead birds, Skomer January 1962, 98-9, 102; albinism in, 224; numbers ringed and recovered 1961, 500, 536; foreign-ringed recoveries in Britain, 555

Greenshank, albinism in, 223; passage-migrant in Barycz valley, Poland, 272; numbers ringed 1961, 499; at Minsmere, 586, 589, plate 84c
Grosbeak, Black-headed, bill deformity in, 59, 65
——, Pine, statistical analysis of Hastings records, 283-97; Hastings records rejected, 370, 374
——, Scarlet, weather factors preceding migration, 80-3; photographic study, 130-1, plate 22; accepted record 1961, 582
Grouse, Black, albinism in, 223; exterminated in Barycz valley, Poland, 265, 269; numbers ringed 1961, 501
——, Red, albinism in, 212, 223; melanism in, 224
Guillemot, albinism in, 223; numbers ringed and recovered 1961, 499, 520
——, Black, statistical analysis of Hastings records, 283-97; numbers ringed and recovered 1961, 499
Gull, Black-headed, status in London suburb, 19, 28; development of paddling and other movements in young birds, 114-7, plate 19; function of foot-paddling, 118-9; distinguishing eggs and egg-shells, 120-9, plates 20-21; displacement experiments on migrating birds, 142; albinism in, 223; melanism in, 216, 225; eating acorns, 239; breeding in Barycz valley, Poland, 252-3, 261, 269, plate 53a; melanistic birds in Northumberland, 275; albinism and melanism in same bird, 435-6, plate 71; numbers ringed and recovered 1961, 499, 516; foreign-ringed recoveries in Britain, 551
——, Bonaparte's, statistical analysis of Hastings records, 283-97; Hastings records rejected, 358, 372; accepted record 1961, 574
——, Common, status in London suburb, 20, 28; function of foot-paddling, 118; distraction displays, 133; albinism in, 223; passage-migrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 499, 516; foreign-ringed recoveries in Britain, 551; foreign-ringed recovery in Britain 1960, 556
Gull, Glaucous, albinism in, 223
——, Great Black-backed, status in London suburb, 21; albinism in, 223; numbers ringed and recovered 1961, 499, 516; foreign-ringed recoveries in Britain, 550
——, Great Black-headed, statistical analysis of Hastings records, 283-97; Hastings records rejected, 358
——, Herring, status in London suburb, 20; function of foot-paddling, 118-9; melanism in, 217 224; albinism in, 223; abnormal bill, 236, plate 48b; vagrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 499, 516; foreign-ringed recoveries in Britain, 551; unusual death, 590
——, Iceland, statistical analysis of Hastings records, 283-97
——, Ivory, statistical analysis of Hastings records, 283-97; Hastings records rejected, 358; accepted record 1961, 574
——, Lesser Black-backed, status in London suburb, 20, 23; albinism in, 223; melanism in, 217, 224; numbers ringed and recovered 1961, 499, 516; foreign-ringed recovery in Britain, 551
——, Little, albinism in, 223; passage-migrant in Barycz valley, Poland, 272; foreign-ringed recovery in Britain, 551; photograph, plate 40
——, Mediterranean Black-headed, statistical analysis of Hastings records, 283-97; Hastings records rejected, 358, 372; accepted records 1960, 566; accepted records 1961, 574
——, Ross's, in Yorkshire, 480-1
——, Sabine's, statistical analysis of Hastings records, 283-97; Hastings records rejected, 360; accepted record 1960, 566; accepted records 1961, 574
——, Slender-billed, in Sussex, 169-71; accepted record 1960, 566

Haematopus ostralegus, see Oystercatcher
Harber, D. D., Slender-billed Gull in Sussex: a bird new to Britain, 169-71; review of Glutz von Blotzheim: *Die Brutvögel der Schweiz*, 484-8

Harker, W. Edmund, note on Little Grebes attacking Moorhens, 164
Harmer, Ian, note on Grey Wagtail nesting in Sand Martin's burrow, 279
Harrier, Hen, albinism in, 223; numbers ringed and recovered 1961, 498, 510
——, Marsh, melanism in, 224; breeding in Barycz valley, Poland, 252-3, 261, 268; numbers ringed 1961, 498
——, Montagu's, melanism in, 224; vagrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 498, 511
Harris, M. P., weights from five hundred birds found dead on Skomer in January 1962, 97-103; note on Blackbird recovering from collapsed eye, 166, plate 23c; on Herring Gull with abnormal bill, 236, plate 48b
——, ——, and Price, R., note on Golden Eagle attacking Reindeer, 42
Harrison, C. J. O., note on Dunnock's method of obtaining seeds from antirrhinums, 279
Harrison, James M., letter on the Hastings Rarities, 453-5
——, ——, and Jeffery G., a Black-headed Gull showing both albinism and melanism, 435-6, plate 71
Hartley, P. H. T., review of Yapp: *Birds and Woods*, 483-4
Hastings Rarities, 281-384; letters on, 453-9
Hawfinch, bill deformity in, 65, 66, plate 9; albinism in, 224; breeding in Barycz valley, Poland, 257, 271; numbers ringed 1961, 500
Hedley, Morley, photograph of Magpie, plate 35
Heron, status in London suburb, 25, 31; albinism in, 223; numbers ringed and recovered 1961, 498, 505; foreign-ringed recovery in Britain, 544
——, Great White, vagrant in Barycz valley, Poland, 272; statistical analysis of Hastings records, 283-97; photographic study, 475-7, plates 72-79
——, Night, vagrant in Barycz valley, Poland, 272; statistical analysis of Hastings records, 283-97; Hastings records rejected, 350; accepted records 1961, 567
Heron, Purple, breeding in Barycz valley, Poland, 260, 268; statistical analysis of Hastings records, 283-97; accepted records 1961, 567
——, Squacco, statistical analysis of Hastings records, 283-97; Hastings records rejected, 350, 372
Hickling, R. A. O., review of Lister: *A Bird and its Bush*, 450
Himantopus himantopus, see Stilt, Black-winged
Hippolais icterina, see Warbler, Icterine
—— *pallida*, see Warbler, Olivaceous
—— *polyglotta*, see Warbler, Melodious
Hirundo daurica, see Swallow, Red-rumped
—— *rustica*, see Swallow
Hobbs, J. N., letter on foot-trembling in plovers, herons and a passerine, 240
Hobby, numbers ringed 1961, 501
Hodson, N. L., note on Blackbird dead on nest after grass fire, 90; on Swallows feeding on froghoppers, 166; on Lapwing's persistent attack on Fox, 590
Hollom, P. A. D., studies of less familiar birds: 118. Rock Bunting and Rock Sparrow, 158-64; review of Payn: *The Birds of Suffolk*, 593-5
Hoopoe, feeding method with deformed bill, 64; breeding in Barycz valley, Poland, 259, 261, 270
Hope Jones, P., mortality and weights of Fieldfares in Anglesey in January 1962, 178-81
Hori, J., note on Shelduck moulting in breeding area, 418; on waders being caught by cockles and mussels, 443
Hosking, Eric, review of Tamura: *Birds of River Tama*, 95; more examples of the best recent work by British bird-photographers, 181-2, plates 32-40; review of Tupholme: *Photographing Garden Birds*, 280; photographs of Great White Heron, 475-7, plates 72-79; of Scarlet Grosbeak, plate 22; of waders at Minsmere, plates 80-88
Hurcomb, Lord, review of Richmond: *Birds in Britain*, 449
Hydrobates pelagicus, see Petrel, Storm
Hydroprogne caspia, see Tern, Caspian

Ibis, Glossy, statistical analysis of Hastings records, 283-97; Hastings records rejected, 350-2
Icteria virens, see Chat, Yellow-breasted
Ixobrychus minutus, see Bittern, Little

Jackdaw, movements over London suburb, 22, 23; albinism in, 224; nesting in aircraft, 463; numbers ringed and recovered 1961, 499, 523
Jay, status in London suburb, 8, 33; albinism in, 224; melanism in, 225; breeding in Barycz valley, Poland, 257, 270; numbers ringed and recovered 1961, 499
——, Blue, plumage dilution in, 204
——, Scrub, bill deformity in, 60
Jenkins, A. R., see Devlin, T. R. E.
Johnson, E. D. H., review of Purves: *Bird Song Recording*, 451
Jones, Margaret K., note on nest sanitation by unfledged Spotted Flycatchers, 446
Jones, R., photograph of female Kestrel, plate 38
Junco hyemalis, see Junco, Slate-coloured
Junco, Slate-coloured, bill deformity in, 69
Jynx torquilla, see Wryneck

Kestrel, status in London suburb, 28, 32; albinism in, 223; melanism in, 224; killed by Carrion Crows, 482; numbers ringed and recovered 1961, 498, 511; foreign-ringed recoveries in Britain, 547; feeding on picnic scraps, 590; photograph of female, plate 38
——, Lesser, statistical analysis of Hastings records, 283-97; Hastings records rejected, 352
Killdeer, statistical analysis of Hastings records, 283-97; Hastings records rejected, 354, 372
Kingfisher, attacking another, 43; feeding behaviour, 134; trapped by frost, 238; diving at floating Kingfisher 240; numbers ringed and recovered 1961, 499
Kirtland, C. A. E., note on Red-legged Partridge paddling in the sea, 233
Kite, status in Barycz valley, Poland, 263, 268; statistical analysis of Hastings records, 283-97; accepted record 1960, 565; accepted records 1961, 570
——, Black, breeding in Barycz valley, Poland, 256, 263, 268
Kittiwake, recent changes in habits, 171-7; albinism in, 223; vagrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 499, 517; foreign-ringed recoveries in Britain, 551; eaten by Tawny Owl, 591
Knot, changes in direction on migration, 148; albinism in, 223; bill trapped in live cockle, 443; numbers ringed and recovered 1961, 499; foreign-ringed recoveries in Britain, 549; at Minsmere, 589, plate 88b; photograph, plate 36
Kruuk, H., see Tinbergen, N.

Lack, David, radar evidence on migratory orientation, 139-58
——, ——, and Eastwood, E., radar films of migration over eastern England, 388-414, plates 65-66
Lagopus mutus, see Ptarmigan
—— *scoticus*, see Grouse, Red
Lamb, E. T., and Priestley, W., note on Wilson's Phalarope in Nottinghamshire, 185-6
Langford, Julian M., note on Linnets blinded by seeds of bur-marigold, 483
Lanius cristatus collurio, see Shrike, Red-backed
—— —— *isabellinus/phoenicuroides*, see Shrike, Red-tailed
—— *excubitor*, see Shrike, Great Grey
—— —— *meridionalis*, see Shrike, South European Grey
—— *minor*, see Shrike, Lesser Grey
—— *nubicus*, see Shrike, Masked
—— *senator*, see Shrike, Woodchat
—— —— *badius*, see Shrike, Corsican Woodchat
Lapwing, movements over London suburb, 23, 25, 26; weights of dead birds, Skomer, January 1962, 98-9; albinism in, 223, plate 46; melanism in, 224; breeding in Barycz valley, Poland, 254, 269; migration over E.

England recorded on radar film, 393-414; numbers ringed and recovered 1961, 498, 512; foreign-ringed recoveries in Britain, 548; at Minsmere, 586, plate 81a; attacking Fox, 590
Lark, Black, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 362, 374
——, Calandra, in Dorset, 44-6; statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 362, 374; accepted record 1961, 576
——, Crested, photographic study, 37-42, plates 6-7; weight of bird with abnormal bill, 66; breeding in Barycz valley, Poland, 259, 270; statistical analysis of Hastings records, 283-97
——, Short-toed, abnormal bill, 237; statistical analysis of Hastings records, 283-97; Hastings records rejected, 362; accepted record 1961, 576
——, White-winged, statistical analysis of Hastings records, 283-97; Hastings records rejected, 362, 374
Larks, see also Shorelark, Skylark, Woodlark
Larus argentatus, see Gull, Herring
—— *canus*, see Gull, Common
—— *fuscus*, see Gull, Lesser Black-backed
—— *genei*, see Gull, Slender-billed
—— *glaucoides*, see Gull, Iceland
—— *hyperboreus*, see Gull, Glaucous
—— *ichthyaëtus*, see Gull, Great Black-headed
—— *marinus*, see Gull, Great Black-backed
—— *melanocephalus*, see Gull, Mediterranean Black-headed
—— *minutus*, see Gull, Little
—— *philadelphia*, see Gull, Bonaparte's
—— *ridibundus*, see Gull, Black-headed
Last, J. M., note on Barn Owl apparently killing Weasel, 87
Leach, E. P., recoveries in Great Britain and Ireland of birds ringed abroad, 544-56
Lee, S. L. B., letter on Snow Bunting recovered in Newfoundland, 198
Lévêque, R., letter on the Hastings Rarities, 456
Limicola falcinellus, see Sandpiper, Broad-billed
Limnodromus griseus, see Dowitcher, Short-billed
—— *scolopaceus*, see Dowitcher, Long-billed
Limosa lapponica, see Godwit, Bar-tailed
—— *limosa*, see Godwit, Black-tailed
Linnet, movements in London suburb, 23, 26; crossed mandibles in, 54; weights of dead birds, Skomer, January 1962, 98-9, 102; albinism in, 224; blinded by seeds of bur-marigold, 483; numbers ringed and recovered 1961, 500, 538; foreign-ringed recovery in Britain, 555
Lloyd-Evans, L., see Devlin, T. R. E.
Locustella fluviatilis, see Warbler, River
—— *luscinioides*, see Warbler, Savi's
—— *naevia*, see Warbler, Grasshopper
Lomas, P. D. R., note on Willow Warbler attacking posturing Robins, 239
Lowe, Christopher J., note on Swift roosting on wall, 419
Lowes, H. R., photograph of Rock Bunting, plate 25; of Rock Sparrow, plate 30
Loxia curvirostra, see Crossbill
—— *leucoptera*, see Crossbill, Two-barred
Lullula arborea, see Woodlark
Luscinia luscinia, see Nightingale, Thrush
—— *megarhynchos*, see Nightingale
Lusciniola melanopogon, see Warbler, Moustached
Lymnocryptes minimus, see Snipe, Jack
Lyrurus tetrix, see Grouse, Black

Macdonald, A., see Coulson, J. C.
Macdonald, J. W., note on Chaffinch with cnemidocoptic mange, 421
MacDonald, S. D., and Parmelee, David F., feeding behaviour of the Turnstone in arctic Canada, 241-4, plate 49
Magpie, weight of bird with abnormal bill, 66; pre-coital display, 88; albinism in, 224; melanism in, 225; breeding in Barycz valley, Poland, 259, 261, 270; numbers ringed and

recovered 1961, 499; photograph, plate 35
Mallard, status in London suburb, 6-9, 18, 28, 30; albinism in, 209, 223; melanism in, 224; breeding in Barycz valley, Poland, 252-3, 256, 261, 268; habitats destroyed by chemicals, 431; numbers ringed and recovered 1961, 498, 506; foreign-ringed recoveries in Britain, 544
Manson, J. C., note on Rook asleep on the ground, 136
Martin, House, movements through London suburb, 23; crossed mandibles in, 54; building nest of cement, 134; unusual death, 135; letter on destruction of nests, 199; albinism in, 224; numbers ringed and recovered 1961, 499, 522
——, Purple, albinism in, 218
——, Sand, albinism in, 224; numbers ringed and recovered 1961, 499, 522
Massey, D., note on Kingfisher trapped by frost, 238
Mayer-Gross, H., and Perrins, C. M., note on Blackbird rearing five broods in one season, 189-90
Medlicott, W. S., note on nest sanitation by unfledged Pied Flycatchers, 192
Megalornis grus, see Crane
Melanitta fusca, see Scoter, Velvet
—— *nigra*, see Scoter, Common
—— *perspicillata*, see Scoter, Surf
Melanocorypha calandra, see Lark, Calandra
—— *leucoptera*, see Lark, White-winged
—— *yeltoniensis*, see Lark, Black
Merganser, Red-breasted, vagrant in Barycz valley, Poland, 272; numbers ringed 1961, 501; photograph of female, plate 30
Mergus albellus, see Smew
—— *merganser*, see Goosander
—— *serrator*, see Merganser, Red-breasted
Merlin, albinism in, 223; passage-migrant in Barycz valley, Poland, 272; breeding in Cornwall, 442; numbers ringed and recovered 1961, 498, 511
Merne, O. J., note on Wilson's Phalarope in Co. Wexford, 186-7
Merops apiaster, see Bee-eater
Micronisus gabar, see Goshawk, Gabar
Migration: south-eastern rarities at Fair Isle, 74-86; radar evidence on orientation, 139-58; radar films of migration over eastern England, 388-414, plates 65-66
——, see also Ringing report
Miller, D. L., see Riley, J. W.
Milvus migrans, see Kite, Black
—— *milvus*, see Kite
Mockingbird, albinism in, 218
Mole, D. C., and Chainey, R., note on Song Thrush floating on the sea, 238
Monticola saxatilis, see Thrush, Rock
Montifringilla nivalis, see Finch, Snow
Moore, N. W., toxic chemicals and birds: the ecological background to conservation problems, 428-35, plates 69-70
Moorhen, attacked by Little Grebe, 164; albinism in, 219, 223; breeding in Barycz valley, Poland, 253, 269; habitats destroyed by chemicals, 431; numbers ringed and recovered 1961, 498, 511
Morley, J. V., letter on animals trapped by plants, 96
Motacilla alba alba, see Wagtail, White
—— —— *personata*, see Wagtail, Masked
—— —— *yarrellii*, see Wagtail, Pied
—— *cinerea*, see Wagtail, Grey
—— *citreola*, see Wagtail, Yellow-headed
—— *flava*, see Wagtail, Yellow
—— —— *beema*, see Wagtail, Syke's
—— —— *feldegg*, see Wagtail, Black-headed
—— —— *thunbergi*, see Wagtail, Grey-headed
Mountfort, Guy, further notes on Great Spotted Woodpeckers attacking nest-boxes, 43; studies of less familiar birds: 120. Great White Heron, 475-7
Mrugasiewicz, A., and Witkowski, J., an ornithological sketch of the Barycz valley in Poland, 245-72, plates 50-57
Muscicapa albicollis, see Flycatcher, Collared
—— *hypoleuca*, see Flycatcher, Pied
—— *latirostris*, see Flycatcher, Brown
—— *parva*, see Flycatcher, Red-breasted
—— *striata*, see Flycatcher, Spotted

Nelder, J. A., a statistical examination of the Hastings Rarities, 283-98
Netta rufina, see Pochard, Red-crested
Nevin, W. S., note on Rook with unusual bill deformity, 46
Nicholson, E. M., and Ferguson-Lees, I. J., the Hastings Rarities, 299-384
Nightingale, eating blackberries, 88; albinism in, 224; numbers ringed 1961, 500
——, Thrush, statistical analysis of Hastings records, 283-97
Nightjar, albinism in, 223; breeding in Barycz valley, Poland, 256, 270; numbers ringed and recovered 1961, 499
Nisbet, I. C. T., south-eastern rarities at Fair Isle, 74-86
Norris, Frank, note on Woodcock alighting on bird-table, 133
Nucifraga caryocatactes caryocatactes, see Nutcracker, Thick-billed
—— —— *macrorhynchos*, see Nutcracker, Slender-billed
Numenius arquata, see Curlew
—— *phaeopus*, see Whimbrel
—— *tenuirostris*, see Curlew, Slender-billed
Nutcracker, vagrant in Barycz valley, Poland, 272; accepted record 1961, 576
——, Slender-billed, statistical analysis of Hastings records, 283-97; Hastings records rejected, 362, 374
——, Thick-billed, statistical analysis of Hastings records, 283-97; Hastings records rejected, 362
Nuthatch, albinism in, 224; breeding in Barycz valley, Poland, 257, 270; numbers ringed and recovered 1961, 500
Nyctea scandiaca, see Owl, Snowy
Nycticorax nycticorax, see Heron, Night

Obituary: Alfred Hazelwood (1913-1961), 182-3
Oceanites oceanicus, see Petrel, Wilson's
Oceanodroma castro, see Petrel, Madeiran
—— *leucorrhoa*, see Petrel, Leach's
O'Connor, Raymond J., note on juvenile Cuckoo apparently imitating Meadow Pipit's call, 481
Oenanthe deserti atrogularis, see Wheatear, Eastern Desert
—— —— *deserti*, see Wheatear, Desert
—— —— *homochroa*, see Wheatear, Western Desert
—— *hispanica hispanica*, see Wheatear, Western Black-eared
—— —— *melanoleuca*, see Wheatear, Eastern Black-eared
—— *isabellina*, see Wheatear, Isabelline
—— *leucomela*, see Wheatear, Pied
—— *leucura leucura*, see Wheatear, Black
—— —— *syenitica*, see Wheatear, North African Black
—— *oenanthe*, see Wheatear
Ord, W., see Blackett, A.
Oriole, Golden, breeding in Barycz valley, Poland, 256, 261, 270; statistical analysis of Hastings records, 283-97; Hastings records rejected, 362; numbers ringed 1961, 501
Oriolus oriolus, see Oriole, Golden
Osprey, status in Barycz valley, Poland, 264, 268, plate 56
Otis tetrax orientalis, see Bustard, Eastern Little
Otus scops, see Owl, Scops
Ouzel, Alpine Ring, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 364
——, Ring, eating blackberries, 88; albinism in, 224; numbers ringed and recovered 1961, 500
Owl, Barn, apparently killing Weasel, 87; albinism in, 223; catching House Sparrows at roost in floodlight, 237; Budgerigars clinging to intruder, 238; sunbathing, 482; numbers ringed and recovered 1961, 499, 521; photograph, plate 40
——, Eagle, regeneration of broken bill, 60
——, Great Grey, photographic study, 414-8, plates 60-64
——, Little, albinism in, 223; numbers ringed and recovered 1961, 499
——, Long-eared, albinism in, 223; numbers ringed and recovered 1961, 499, 521
——, Scops, statistical analysis of Hastings records, 283-97; Hastings records rejected, 360

Owl, Short-eared, numbers ringed and recovered 1961, 499, 521; feeding on Puffin, 591
——, Snowy, statistical analysis of Hastings records, 283-97; accepted record 1961, 575
——, Tawny, status in London suburb, 6, 8-9, 14, 16, 21, 27; breeding in Barycz valley, Poland, 256, 270; attacked by Weasel, 276; numbers ringed and recovered 1961, 499; feeding on Kittiwakes, 591
——, Tengmalm's, statistical analysis of Hastings records, 283-97; Hastings records rejected, 360; accepted record 1959, 565; accepted record 1960, 566; accepted record 1961, 576
Oystercatcher, bill deformities in, 60, 67; albinism in, 202, 204, 223, plate 46b; deformed feet, 419, plate 67b; bills trapped by live mussels, 443; numbers ringed and recovered 1961, 498, 511; foreign-ringed recovery in Britain 548

Pagophila eburnea, see Gull, Ivory
Paillette, M., see Tinbergen, N.
Palmar, C. Eric, photographs of Swift, plates 17-18
Palmer, Eileen M., and Ballance, David K., letter on proposed check-list of Somerset birds, 424
Pandion haliaëtus, see Osprey
Panurus biarmicus, see Tit, Bearded
Parmelee, David F., see MacDonald, S. D.
Parrot, Twenty-eight, bill deformity in, 55
Parslow, J. F. L., see Beckerlegge, J. E.
Partridge, bill deformities in, 58, 63; melanism in, 215, 224; albinism in, 223; breeding in Barycz valley, Poland, 259, 269; numbers ringed and recovered 1961, 498
——, Red-legged, albinism in, 223; melanism in, 224; paddling in sea, 233; numbers ringed 1961, 501
Parus ater, see Tit, Coal
—— *atricapillus*, see Tit, Willow
—— *caeruleus*, see Tit, Blue
Parus cristatus, see Tit, Crested
—— *cyanus*, see Tit, Azure
—— *major*, see Tit, Great
—— *palustris*, see Tit, Marsh
Passer domesticus, see Sparrow, House
—— *montanus*, see Sparrow, Tree
Passerella iliaca, see Sparrow, Fox
Paton, William S., photograph of Barn Owls, plate 40
Pearson, D. J., Boddy, S., and Smart, M., note on Bonelli's Warbler in Suffolk, 277
Perdix perdix, see Partridge
Peregrine, in London suburb, 28, 32; incubating Kestrel's eggs, 131; albinism in, 223; status in Barycz valley, Poland, 264, 269; numbers ringed 1961, 498
Pernis apivorus, see Buzzard, Honey
Perrins, C. M., see Mayer-Gross, H.
Petrel, Bulwer's, statistical analysis of Hastings records, 283-97; Hastings records rejected, 350
——, Leach's, numbers ringed 1961, 498
——, Madeiran, statistical analysis of Hastings records, 283-97; Hastings records rejected, 348
——, Storm, numbers ringed and recovered 1961, 498, 503
——, Wilson's, statistical analysis of Hastings records, 283-97; Hastings records rejected, 348
Petroica phoenicea, see Robin, Flame
Petronia petronia, see Sparrow, Rock
Phalacrocorax aristotelis, see Shag
—— *carbo*, see Cormorant
—— *nigrogularis*, see Cormorant, Socotra
Phalarope, Grey, numbers ringed 1961, 501
——, Red-necked, statistical analysis of Hastings records, 283-97; numbers ringed 1961, 501
——, Wilson's, in Cornwall, 183-5; in Nottinghamshire, 185-6; in Co. Wexford, 186-7; accepted records 1961, 573
Phalaropus fulicarius, see Phalarope, Grey
—— *lobatus*, see Phalarope, Red-necked
—— *tricolor*, see Phalarope, Wilson's
Phasianus colchicus, see Pheasant
Pheasant, bill deformity in, 58; albinism in, 205, 218, 223; melanism in, 220,

224; residues of toxic seed-dressings in eggs, 478-80
Philomachus pugnax, see Ruff
Phoenicurus ochruros, see Redstart, Black
—— *phoenicurus*, see Redstart
Phylloscopus bonelli, see Warbler, Bonelli's
—— *collybita*, see Chiffchaff
—— *fuscatus*, see Warbler, Dusky
—— *inornatus*, see Warbler, Yellow-browed
—— *schwarzi*, see Warbler, Radde's Bush
—— *sibilatrix*, see Warbler, Wood
—— *trochiloides*, see Warbler, Greenish
—— *trochilus*, see Warbler, Willow
Pica pica, see Magpie
Picus viridis, see Woodpecker, Green
Pigeon, Fantail, bill deformity in, 58
——, Feral, habitats in London suburb, 5, 8-9, 14, 16, 21, 27-8, 30; bill deformities in, 55
Pinicola enucleator, see Grosbeak, Pine
Pinowski, Jan, and Ryszkowski, Lech, the Buzzard's versatility as a predator, 470-5
Pintail, albinism in, 223; numbers ringed and recovered 1961, 498, 508; foreign-ringed recoveries in Britain, 545; photograph of female, plate 39
Pipit, Meadow, status in London suburb, 19, 24; weight of bird with abnormal bill, 66; weights of dead birds, Skomer, January 1962, 98-9, 102; albinism in, 224; breeding in Barycz valley, Poland, 254, 271; numbers ringed and recovered 1961, 500, 534; foreign-ringed recovery in Britain, 554
——, Red-throated, statistical analysis of Hastings records, 283-97; Hastings records rejected, 368; numbers ringed 1961, 502; accepted records 1961, 580
——, Richard's, statistical analysis of Hastings records, 283-97; Hastings record rejected, 374; numbers ringed 1961, 502; accepted record 1960, 567; accepted records 1961, 580
——, Rock, albinism in, 224; numbers ringed and recovered 1961, 500; foreign-ringed recovery in Britain, 554
——, Tawny, breeding in Barycz valley, Poland, 259, 271; statistical analysis of Hastings records, 283-97; Hastings records rejected, 368, 374; accepted records 1961, 580
Pipit, Tree, breeding in Barycz valley, Poland, 257, 271; numbers ringed 1961, 500
——, Water, vagrant in Barycz valley, Poland, 272; statistical analysis of Hastings records, 283-97; numbers ringed and recovered 1961, 500, 535
Platalea leucorodia, see Spoonbill
Plautus alle, see Auk, Little
Plectrophenax nivalis, see Bunting, Snow
Plegadis falcinellus, see Ibis, Glossy
Plover, American Golden, statistical analysis of Hastings records, 283-97; Hastings record rejected, 354
——, Asiatic Golden, statistical analysis of Hastings records, 283-297; Hastings records rejected, 354, 372
——, Caspian, statistical analysis of Hastings records, 283-97; Hastings records rejected, 354
——, Golden, weight of dead bird, Skomer January 1962, 98-99; albinism in, 223; vagrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 498, 512; foreign-ringed recoveries in Britain, 548; at Minsmere, 585, 587
——, Grey, albinism in, 223; passage-migrant in Barycz valley, Poland, 272; bill trapped in live mussel, 443; numbers ringed and recovered 1961, 501, 512; at Minsmere, 585, 587, plate 80
——, Kentish, accepted records 1961, 572
——, Little Ringed, Hastings records rejected, 354; numbers ringed 1961, 498; at Minsmere, 587
——, Ringed, albinism in, 223; melanism in, 224; passage-migrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 498, 512; foreign-ringed recovery in Britain, 548; at Minsmere, 585, 587, plate 81b; photograph of immature, plate 37
——, Semipalmated Ringed, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 354

Plover, Sociable, in Dorset, 233-5; in Hertfordshire, 236; statistical analysis of Hastings records, 283-97; Hastings records rejected, 354, 372
Pochard, albinism in, 223; melanism in, 224; breeding in Barycz valley, Poland, 252-3, 261, 268; numbers ringed and recovered 1961, 498, 509; foreign-ringed recoveries in Britain, 546
——, Red-crested, bill deformity in, 59; statistical analysis of Hastings records, 283-97; Hastings records rejected, 352, 372; accepted record 1959, 564; accepted records 1960, 565; accepted records 1961, 568
Podiceps auritus, see Grebe, Slavonian
—— *cristatus*, see Grebe, Great Crested
—— *griseigena*, see Grebe, Red-necked
—— *nigricollis*, see Grebe, Black-necked
—— *ruficollis*, see Grebe, Little
Pomeroy, D. E., birds with abnormal bills, 49-72, plate 9
Porter, S. C., photograph of Bee-eater, plate 33
Porzana parva, see Crake, Little
—— *porzana*, see Crake, Spotted
—— *pusilla*, see Crake, Baillon's
Pratincole, statistical analysis of Hastings records, 283-97; Hastings records rejected, 358
——, Black-winged, statistical analysis of Hastings records, 283-97; Hastings records rejected, 358
Price, M. Philips, note on Wood Warbler's nest without a dome, 446
Price, R., see Harris, M. P.
Procellaria baroli, see Shearwater, Little
—— —— *baroli*, see Shearwater, Madeiran Little
—— —— *boydi*, see Shearwater, Cape Verde Little
—— *diomedea*, see Shearwater, Cory's
—— —— *borealis*, see Shearwater, North Atlantic
—— —— *diomedea*, see Shearwater, Mediterranean
—— *gravis*, see Shearwater, Great
—— *puffinus*, see Shearwater, Manx
Prunella collaris, see Accentor, Alpine
—— *modularis*, see Dunnock
Ptarmigan, numbers ringed 1961, 501
Puffin, albinism in, 223; numbers ringed and recovered 1961, 499, 520; eaten by Short-eared Owl, 591
Pyrrhocorax pyrrhocorax, see Chough
Pyrrhula pyrrhula, see Bullfinch
—— —— *pyrrhula*, see Bullfinch, Northern

Quail, breeding in Barycz valley, Poland, 259, 269; numbers ringed 1961, 501

Rail, Water, killing Wren, 132; drowning small passerines, 165; albinism in, 223; melanism in, 224; breeding in Barycz valley, Poland, 252-3, 261, 269; killing Little Stint and Eel, 275; numbers ringed 1961, 498
Raines, R. J., note on Spotted Redshanks up-ending to catch Sticklebacks, 87
Rallus aquaticus, see Rail, Water
Rarities Committee, report on rare birds in Great Britain in 1961 (with 1959 and 1960 additions), 562-84
Ratcliffe, D. A., note on Peregrine incubating Kestrel's eggs, 131
Raven, albinism in, 208, 224; vagrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 499
Razorbill, albinism in, 223; numbers ringed and recovered 1961, 499, 519
Recent reports and news, see Reports and news
Redpoll, hard-weather movement in London suburb, 26; albinism in, 224; passage-migrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 500, 539
——, Arctic, numbers ringed 1961, 502; accepted records 1961, 581
Redshank, albinism in, 223; melanism in, 224; breeding in Barycz valley, Poland, 254, 269; bill trapped in live mussel, 443; numbers ringed and recovered 1961, 498, 514; at Minsmere, 585, 586, plate 85a; photograph, plate 36
——, Spotted, up-ending to catch Sticklebacks, 87; passage-migrant in Barycz valley, Poland, 272; numbers ringed 1961, 501; at Minsmere, 585, 586, plate 85b, 85c
Redstart, eating blackberries, 88; rever-

sed migration, 149; albinism in, 224; numbers ringed and recovered 1961, 500, 530
Redstart, Black, numbers ringed and recovered 1961, 500, 530
Redwing, movements over London suburb, 22, 24, 26; eating blackberries, 88; weights of dead birds, Skomer, January 1962, 98-102; reversed migration in autumn, 149; evidence for redetermined movements, 151, 153; melanism in, 217, 225; albinism in, 224; status in Barycz valley, Poland, 264, 270; numbers ringed and recovered 1961, 500, 528; foreign-ringed recoveries in Britain, 552
Reeve, see Ruff
Regulus ignicapillus, see Firecrest
—— *regulus*, see Goldcrest
Remiz pendulinus, see Tit, Penduline
Reports and news, 46-8, 459-60, 595-6
Requests for information: cold weather migrations, 96; wreck of Fulmars in February and March 1962, 200; wreck of Shags in March 1962, 200; colour-marked Shags, 423; colour-marked Pink-footed Geese and Purple Sandpipers, 423; colour-marked Oystercatchers, 423; feeding habits of Common and Black-headed Gulls, 424
Reviews:
Brown and Waterston: *The Return of the Osprey*, 492-3, 592
Christian: *Down the Long Wind*, 93-4
Curry-Lindahl: *Våra Fåglar i Norden*, vol. 3, 488-92
Davies: *The Bird Notes Bedside Book*, 493-4
Glutz von Blotzheim: *Die Brutvögel der Schweiz*, 484-8
Joint Committee of B.T.O. and R.S.P.B. on Toxic Chemicals: *Report No. 2*, 195-6
Lind: *Studies on the Behaviour of the Black-tailed Godwit*, 196-7
Lister: *A Bird and its Bush*, 450
Payn: *The Birds of Suffolk*, 593-5
Purves: *Bird Song Recording*, 451
Richmond: *Birds in Britain*, 449
Sedgwick, Whitaker and Harrison: *The New Wildfowler*, 94
Tamura: *Birds of River Tama*, 95
Tupholme: *Photographing Garden Birds*, 280
Williamson: *Identification for Ringers, 2. The Genus Phylloscopus*, 422
Wynne-Edwards: *Animal Dispersion in Relation to Social Behaviour*, 437-42
Yapp: *Birds and Woods*, 483-4
Rhodostethia rosea, see Gull, Ross's
Richards, Brent, see Bunce, H. O.
Richardson, R. A., Spence, B. R., Alexander, H. G., and Williamson, Kenneth, note on Radde's Bush Warbler in Norfolk, 166-7
Riley, J. W., and Miller, D. L., note on unusual death of Herring Gull, 590
——, ——, and Rooke, K. B., note on Sociable Plover in Dorset, 233-5
Ringing report, 493-556
Riparia riparia, see Martin, Sand
Rissa tridactyla, see Kittiwake
Robin, habitats in London suburb, 6-8, 10, 15-6, 28-30; bill deformities in, 68, 136; eating blackberries, 88; displacement experiments on migrating birds, 142; evidence for redetermined movements, 150, 153; albinism in, 224; posturing birds attacked by Willow Warbler, 238; weight increases of migrants on Fair Isle, 225-9; breeding in Barycz valley, Poland, 257, 271; nesting in aircraft, 464; numbers ringed and recovered 1961, 500, 531; foreign-ringed recoveries in Britain, 553
——, American, bill deformity in, 61; accepted record 1961, 577
——, Flame, foot-trembling, 240
Rogers, M. J., letter on a possible explanation of "reverse migration", 199
Roller, breeding in Barycz valley, Poland, 256, 259, 270; statistical analysis of Hastings records, 283-97; Hastings records rejected, 362
Rook, movements over London suburb, 22, 23; bill deformities in, 46, 55, 56, 58; asleep on the ground, 136; albinism in, 224; numbers ringed and recovered 1961, 499, 523
Rooke, K. B., see Riley, J. W.
Rothschild, Miriam, development of paddling and other movements in

young Black-headed Gulls, 114-7, plate 19
Rowan, M. K., mass mortality among European Common Terns in South Africa in April-May 1961, 103-14
Ruff, albinism in, 223; numbers ringed and recovered, 1961, 499, 515; at Minsmere, 585, 586, plate 83a
Ruttledge, Robert F., note on distraction displays of Common Gulls, 133
Ryszkowski, Lech, see Pinowski, Jan

Sage, Bryan L., notes on the food of the Marsh Tit, 89; albinism and melanism in birds, 201-25, plates 41-47; note on Barn Owls catching sparrows at roost, 237; on Spotted Flycatcher feeding on grasshopper, 278; on beetles in the plumage of birds, 420; on Carrion Crows killing Kestrel, 482
Sanderling, albinism in, 223; numbers ringed 1961, 499; at Minsmere, 586, 589, plate 87b
Sandpiper, Baird's, statistical analysis of Hastings records, 283-97; Hastings records rejected, 356; accepted record 1961, 572
——, Broad-billed, statistical analysis of Hastings records, 283-97; Hastings records rejected, 358, 372; accepted record 1960, 566; accepted records 1961, 573
——, Buff-breasted, statistical analysis of Hastings records, 283-97; accepted records 1961, 573; at Minsmere, 588
——, Common, albinism in, 223; numbers ringed and recovered 1961, 498, 514; foreign-ringed recovery in Britain, 549; at Minsmere, 586, 588, plate 84a
——, Curlew, vagrant in Barycz valley, Poland, 272; numbers ringed 1961, 499; at Minsmere, 589, plate 86a
——, Green, feeding method with deformed bill, 64; albinism in, 223; numbers ringed 1961, 498; at Minsmere, 585, 588, plate 84b
——, Grey-rumped, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 356
——, Marsh, statistical analysis of Hastings records, 283-97; Hastings records rejected, 356
Sandpiper, Pectoral, statistical analysis of Hastings records, 283-97; Hastings records rejected, 356, 372; numbers ringed 1961, 501; accepted records 1961, 572; at Minsmere, 588
——, Purple, numbers ringed 1961, 499
——, Semipalmated, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 358
——, Sharp-tailed, accepted record 1961, 573
——, Solitary, statistical analysis of Hastings records, 283-97; Hastings records rejected, 356
——, Spotted, statistical analysis of Hastings records, 283-97; Hastings records rejected, 356
——, Terek, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 356; accepted record 1961, 572
——, Upland, statistical analysis of Hastings records, 283-97; Hastings records rejected, 354, 372; accepted record 1960, 566; accepted record 1961, 572
——, White-rumped, statistical analysis of Hastings records, 283-97; Hastings records rejected, 356, 372; accepted record 1961, 572; at Minsmere, 588
——, Wood, numbers ringed 1961, 501; at Minsmere, 588
Sandgrouse, Pallas's, statistical analysis of Hastings records, 283-297
Sapsucker, Northern Red-breasted, bill deformity in, 58, 60, 64, 67
Saunders, D. R., note on owls feeding on young sea-birds, 591
Saxicola rubetra, see Whinchat
—— *torquata*, see Stonechat
—— —— *maura*, see Stonechat, Siberian
Scaup, vagrant in Barycz valley, Poland, 272; numbers ringed 1961, 501; foreign-ringed recovery in Britain, 546; foreign-ringed recovery in Britain 1958, 556
Scolopax rusticola, see Woodcock
Scoter, Common, albinism in, 223; numbers recovered 1961, 501

Scoter, Surf, statistical analysis of Hastings records, 283-97; accepted records 1961, 569
——, Velvet, vagrant in Barycz valley, Poland, 272; numbers ringed 1961, 501
Scott, R. E., note on passerines feeding on Blackberries, 87
Serin, statistical analysis of Hastings records, 283-97; Hastings record rejected, 370; ringed 1961, 502; accepted records 1961, 582
Serinus canarius, see Serin
Shag, albinism in, 223; numbers ringed and recovered 1961, 498, 505
Sharrock, J. T. R., note on the field identification of Sardinian, Subalpine and Spectacled Warblers in autumn, 90-2; on Bonelli's Warbler in Co. Cork, 92-3; on feeding behaviour of Kingfishers, 134
Shearwater, Audubon's, statistical analysis of Hastings records, 283-97
——, Balearic, statistical analysis of Hastings records, 283-97; Hastings record rejected, 350
——, Cape Verde Little, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 350
——, Cory's, deleted from British list, 342; accepted record 1960, 565
——, Great, statistical analysis of Hastings records, 283-97; Hastings records rejected, 350
——, Little, Hastings record rejected, 350
——, Madeiran Little, statistical analysis of Hastings records, 283-97; Hastings records rejected, 350
——, Manx, British-ringed bird recovered in Australia, 86; numbers ringed and recovered 1961, 498, 503
——, Mediterranean, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 350
——, North Atlantic, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 350
Shelduck, melanism in, 224; vagrant in Barycz valley, Poland, 272; moulting in breeding area, 418; numbers ringed and recovered 1961, 498, 509; foreign-ringed recoveries in Britain, 546
Shelduck, Ruddy, albinism in, 223; statistical analysis of Hastings records, 283-97; Hastings records rejected, 352; accepted record 1961, 570
Shepard, B., letter on "Kingfisher ducking Kingfisher", 240
Shorelark, albinism in, 224; numbers ringed 1961, 501
Shoveler, albinism in, 223; numbers ringed and recovered 1961, 498, 508; foreign-ringed recoveries in Britain, 546
Shrike, Corsican Woodchat, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 370
——, Great Grey, albinism in, 224; breeding in Barycz valley, Poland, 259, 271; numbers ringed 1961, 502
——, Lesser Grey, changes in direction on migration, 148; statistical analysis of Hastings records, 283-97; Hastings records rejected, 368, 374; accepted record 1960: correction, 567; accepted records 1961, 581
——, Masked, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 370
——, Red-backed, weather factors preceding migration, 80-3; changes in direction on migration, 148; albinism in, 224; breeding in Barycz valley, Poland, 257, 259, 271; numbers ringed and recovered 1961, 500, 535
——, Red-tailed, accepted record 1961, 581
——, South European Grey, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 368
——, Woodchat, statistical analysis of Hastings records, 283-97; Hastings records rejected, 368-70, 374; numbers ringed 1961, 502; accepted records 1961, 581
Silverbill, Indian, bill deformity in, 67
Simms, Eric, a study of suburban bird-life at Dollis Hill, 1-36, plates 1-2

Siskin, movements in London suburb, 23; breeding in Devon, 193-195; albinism in, 224; numbers ringed and recovered 1961, 500, 537; foreign-ringed recoveries in Britain, 555
Sitta europaea, see Nuthatch
Skua, Arctic, numbers ringed and recovered 1961, 499, 515; foreign-ringed recovery in Britain, 550
——, Great, albinism in, 223; numbers ringed and recovered 1961, 499, 515
——, Long-tailed, statistical analysis of Hastings records, 283-97
——, Pomarine, statistical analysis of Hastings records, 283-97; numbers ringed and recovered 1961, 501
Skylark, status in London suburb, 6, 8, 24, 26; albinism in, 224; melanism in, 225; breeding in Barycz valley, Poland, 254, 259, 270; numbers ringed and recovered 1961, 499
Smart, M., see Pearson, D. J.
Smew, passage-migrant in Barycz valley, Poland, 272
Snipe, bill deformity in, 56; albinism in, 223; melanism in, 224; breeding in Barycz valley, Poland, 254, 269; numbers ringed and recovered 1961, 498, 513; foreign-ringed recoveries in Britain, 548; at Minsmere, 585, plate 82a
——, Great, vagrant in Barycz valley, Poland, 272; statistical analysis of Hastings records, 283-97; Hastings records rejected, 354
——, Jack, albinism in, 223; vagrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 498, 513; at Minsmere, 585
Smith, David F., note on Merlins breeding in Cornwall, 442
Smith, K. D., letter on the Hastings Rarities, 456
Somateria mollissima, see Eider
—— *spectabilis*, see Eider, King
Soper, Eileen A., letter on ringed birds in snow, 197
Southern, H. N., photographs of Swift, plates 15-16
Sparrow, Fox, ringed 1961, 502; in Co. Down, 560-2
——, Hedge, see Dunnock
——, House, habitats in London suburb, 5-8, 12, 16-8, 22, 28-9, 35; bill deformities in, 56-60, 63, 64, 69, 447; possible industrial melanism in, 216; albinism in, 219, 220, 224; feeding young on cuckoo-spit, 239; beetle in plumage, 420; nestling killed by cotton wool, 448; nesting in aircraft, 467; numbers ringed and recovered 1961, 501, 541
Sparrow, Rock, photographic study, 162-3, plates 29-31
——, Tree, habitats in London suburb, 7-8, 12, 16, 30; albinism in, 224; breeding in Barycz valley, Poland, 257, 272; numbers ringed and recovered 1961, 501, 541
——, White-throated, accepted record 1961, 582
Sparrowhawk, status in London suburb, 25, 31; albinism in, 223; breeding in Barycz valley, Poland, 256, 268; numbers ringed and recovered 1961, 498
Spatula clypeata, see Shoveler
Spence, B. R., see Richardson, R. A.
Spencer, K. G., review of Brown and Waterston: *The Return of the Osprey*, 492-3, 592
Spencer, Robert, note on British-ringed Manx Shearwater recovered in Australia, 86; review of Christian: *Down the Long Wind*, 93; comments on letter on ringed birds in snow, 198; report on bird-ringing for 1961, 493-543
Sphyrapicus varius, see Sapsucker, Northern Red-breasted
Spoonbill, vagrant in Barycz valley, Poland, 272
Stamm, R., see Tinbergen, N.
Stanford, J. K., letter on the Hastings rarities, 456
Starling, habitats in London suburb, 5-8, 11, 15-8, 21, 24, 27-30, 35; bill deformities in, 53, 55-61, 63-4, 68, plate 9; weights of dead birds, Skomer, January 1962, 98-9, 101-2; displacement experiments on migrating birds, 140; curious behaviour, 168; albinism in, 224; breeding in Barycz valley, Poland 257, 271; migration over E. England recorded on radar film, 408; nesting in aircraft, 465; numbers ringed and recovered

1961, 500, 535; foreign-ringed recoveries in Britain, 554; photograph, plate 36
Starling, Rose-coloured, statistical analysis of Hastings records, 283-97; Hastings records rejected, 370, 374; ringed 1961, 502; accepted records 1961, 581
Stercorarius longicaudus, see Skua, Long-tailed
—— *parasiticus*, see Skua, Arctic
—— *pomarinus*, see Skua, Pomarine
Sterna albifrons, see Tern, Little
—— *anaethetus*, see Tern, Bridled
—— *dougallii*, see Tern, Roseate
—— *fuscata*, see Tern, Sooty
—— *hirundo*, see Tern, Common
—— *macrura*, see Tern, Arctic
—— *sandvicensis*, see Tern, Sandwich
Stevens, C. J., letter on Black-headed Gulls eating acorns, 239
Stewart, Ian F., note on nestling House Sparrow killed by cotton wool, 448
Stilt, Black-winged, statistical analysis of Hastings records, 283-97; Hastings records rejected, 358, 372; accepted records 1961, 573
Stint, Little, passage-migrant in Barycz valley, Poland, 272; killed by Water Rail, 275; numbers ringed and recovered 1961, 499; at Minsmere, 586, 589, plate 87a
——, Temminck's, vagrant in Barycz valley, Poland, 272; at Minsmere, 589
Stockton, C., photograph of Blackbird and Starling, plate 36
Stokes, E. J., note on Blackbird attacking Slow-worm, 445
Stone, Richard C., letter on the Hastings Rarities, 458
Stonechat, eating blackberries, 88; albinism in, 224; melanism in, 225; status in Barycz valley, Poland, 264, 270; numbers ringed and recovered 1961, 500, 530
——, Siberian, statistical analysis of Hastings records, 283-97
Stork, Black, breeding in Barycz valley, Poland, 256, 262, 268, plate 50b
——, White, statistical analysis of Hastings records, 283-97; accepted records 1961, 568
Streptopelia decaocto, see Dove, Collared
—— *turtur*, see Dove, Turtle
Strix aluco, see Owl, Tawny
—— *nebulosa*, see Owl, Great Grey
Sturnus roseus, see Starling, Rose-coloured
—— *vulgaris*, see Starling
Sula bassana, see Gannet
Swaine, C. M., report on rare birds in Great Britain in 1961 (with 1959 and 1960 additions), 562-84
Swallow, movements over London suburb, 23; bill deformity in, 58; feeding on froghoppers, 166; albinism in, 224; melanism in, 225; numbers ringed and recovered 1961, 499, 522; foreign-ringed recoveries in Britain, 552
——, Red-rumped, statistical analysis of Hastings records, 283-97; Hastings record rejected, 362
Swan, Bewick's, ringed 1961, 501
——, Mute, status in London suburb, 25; breeding in Barycz valley, Poland, 262, 268; numbers ringed and recovered 1961, 498, 510
——, Whooper, vagrant in Barycz valley, Poland, 272; numbers ringed 1961, 501
Swift, status in London suburb, 23; photographic study, 72-4, plates 10-18; albinism in, 223; roosting on wall, 419; beetle in plumage, 420; numbers ringed and recovered 1961, 499, 521
——, Alpine, Hastings records rejected, 360, 372; accepted records 1961, 576
Sykes, A. N., letter on the Hastings Rarities, 458
Sylvia atricapilla, see Blackcap
—— *borin*, see Warbler, Garden
—— *cantillans*, see Warbler, Subalpine
—— *communis*, see Whitethroat
—— *conspicillata*, see Warbler, Spectacled
—— *curruca*, see Whitethroat, Lesser
—— *hortensis*, see Warbler, Orphean
—— *melanocephala*, see Warbler, Sardinian
—— *nisoria*, see Warbler, Barred
—— *rüppelli*, see Warbler, Rüppell's
—— *undata*, see Warbler, Dartford
Syrrhaptes paradoxus, see Sandgrouse, Pallas's

Tadorna tadorna, see Shelduck
Taeniopygia castanotis, see Finch, Zebra
Taylor, L. S., note on Fulmar laying egg in Northamptonshire garden, 164
Teal, albinism in, 223; breeding in Barycz valley, Poland, 261, 268; numbers ringed and recovered 1961, 498, 506; foreign-ringed recoveries in Britain, 545
——, Blue-winged, statistical analysis of Hastings records, 283-297
——, Green-winged, accepted records 1961, 568
Tern, Arctic, albinism in, 223; numbers ringed and recovered 1961, 499, 518
——, Bridled, statistical analysis of Hastings records, 283-97
——, Caspian, statistical analysis of Hastings records, 283-97; Hastings records rejected, 360; accepted records 1961, 575
——, Common, mass mortality in South Africa, April-May 1961, 103-14; albinism in, 223; breeding in Barycz valley, Poland, 252-3, 261, 269; numbers ringed and recovered 1961, 499, 518
——, Gull-billed, statistical analysis of Hastings records, 283-97; Hastings records rejected, 360; accepted record 1960, 566; accepted records 1961, 575
——, Little, albinism in, 223; vagrant in Barycz valley, Poland, 272
——, Roseate, statistical analysis of Hastings records, 283-97; numbers ringed and recovered 1961, 499, 518
——, Sandwich, numbers ringed and recovered 1961, 499, 518
——, Sooty, statistical analysis of Hastings records, 283-97; Hastings records rejected, 360; accepted record 1961, 575
——, Whiskered, statistical analysis of Hastings records, 283-97; Hastings records rejected, 360; accepted record 1961, 575
——, White-winged Black, statistical analysis of Hastings records, 283-97; Hastings records rejected, 360, 372; accepted record 1960, 566; accepted records 1961, 575
Tetrao urogallus, see Capercaillie
Thompson, A. G. G., note on Water Rail killing Little Stint and Eel, 275
Thompson, E. K., photograph of female Red-breasted Merganser, plate 39
Thrasher, Californian, bill deformity in, 57-8, 60
Thrush, Black-throated, statistical analysis of Hastings records, 283-97; Hastings records rejected, 364
——, Dusky, statistical analysis of Hastings records, 283-97; Hastings records rejected, 364, 374; numbers ringed 1961, 501; accepted record 1961, 577
——, Gray-cheeked, numbers ringed and recovered 1961, 501; accepted record 1961, 577
——, Mistle, habitats in London suburb, 6, 8, 10, 15-6, 27, 29; eating blackberries, 88; weights of dead birds, Skomer, January 1962, 98-9; albinism in, 224; melanism in, 225; breeding in Barycz valley, Poland, 257, 270; numbers ringed and recovered 1961, 500
——, Rock, statistical analysis of Hastings records, 283-97; Hastings records rejected, 364
——, Song, habitats in London suburb, 6-8, 10, 15-8, 21, 27, 29-30; bill deformity in, 57; eating blackberries, 88; incapacitated by seed heads, 89; weights of dead birds, Skomer, January 1962, 98-9, 102; evidence for redetermined movements, 151; albinism in, 210, 224; melanism in, 225; floating on sea, 238; breeding in Barycz valley, Poland, 257, 270; numbers ringed and recovered 1961, 500, 527; foreign-ringed recoveries in Britain, 552; foreign-ringed recovery in Britain 1959, 556
——, White's, statistical analysis of Hastings records, 283-97; Hastings records rejected, 364
Thrushes, see also Blackbird, Fieldfare, Ouzel, Redwing
Tichodroma muraria, see Wallcreeper
Timperley, W. A., note on Weasel attacking Tawny Owl, 276; on House Sparrow with temporarily deformed beak, 447
Tinbergen, N., foot-paddling in gulls,

117-20; note on Bullfinch escaping from cat by "playing dead", 420
Tinbergen, N., Kruuk, H., Paillette, M. and Stamm, R., how do Black-headed Gulls distinguish between eggs and egg-shells?, 120-9, plates 20-21
Tit, Azure, vagrant in Barycz valley, Poland, 272
——, Bearded, vagrant in Barycz valley, Poland, 272; numbers ringed 1961, 500; accepted record 1960: correction, 566; accepted records 1961, 576
——, Blue, habitats in London suburb, 6-8, 10, 14, 16-7, 19, 27-8, 30; nest-boxes attacked by Great Spotted Woodpeckers, 43; bill deformities in, 54, 62, 67; food, 188; albinism and melanism in same bird, 203; albinism in, 224; melanism in, 225; breeding in Barycz valley, Poland, 257, 261, 270; numbers ringed and recovered 1961, 499, 523
——, Coal, albinism in, 224; melanism in, 225; breeding in Barycz valley, Poland, 257, 270; numbers ringed and recovered 1961, 499
——, Crested, breeding in Barycz valley, Poland, 257, 270; numbers ringed 1961, 501
——, Great, habitats in London suburb, 6-8, 10, 14, 16, 19, 30; nest-boxes attacked by Great Spotted Woodpeckers, 43; bill deformities in, 53-6, 59, 62, 64, 67; food, 188; melanism in, 216, 225, plate 47; albinism in, 224; breeding in Barycz valley, Poland, 257, 261, 270; numbers ringed and recovered 1961, 499, 523
——, Long-tailed, albinism in, 224; breeding in Barycz valley, Poland, 257, 270; numbers ringed and recovered 1961, 500, 527; photograph, plate 32
——, Marsh, food, 89, 187-8; albinism in, 224; breeding in Barycz valley, Poland, 257, 270; numbers ringed and recovered 1961, 500
——, Penduline, breeding in Barycz valley, Poland, 252-3, 261, 264, 270, plate 54a
——, Willow, numbers ringed and recovered 1961, 500
Toxostoma redivivum, see Thrasher, Californian
Trap-Lind, Ib, observations on a Honey Buzzard digging out a wasps' nest, 36, plates 3-5; photographs of Crested Lark, plates 6-7
Treecreeper, albinism in, 224; breeding in Barycz valley, Poland, 257, 270; numbers ringed and recovered 1961, 500
——, Short-toed, breeding in Barycz valley, Poland, 257, 270
Tringa brevipes, see Sandpiper, Grey-rumped
—— *erythropus*, see Redshank, Spotted
—— *flavipes*, see Yellowlegs, Lesser
—— *glareola*, see Sandpiper, Wood
—— *hypoleucos*, see Sandpiper, Common
—— *hypoleucos macularia*, see Sandpiper, Spotted
—— *melanoleuca*, see Yellowlegs, Greater
—— *nebularia*, see Greenshank
—— *ochropus*, see Sandpiper, Green
—— *solitaria*, see Sandpiper, Solitary
—— *stagnatilis*, see Sandpiper, Marsh
—— *terek*, see Sandpiper, Terek
—— *totanus*, see Redshank
Troglodytes troglodytes, see Wren
Tryngites subruficollis, see Sandpiper, Buff-breasted
Turdus dauma, see Thrush, White's
—— *eunomus*, see Thrush, Dusky
—— *merula*, see Blackbird
—— *migratorius*, see Robin, American
—— *musicus*, see Redwing
—— *philomelos*, see Thrush, Song
—— *pilaris*, see Fieldfare
—— *ruficollis atrogularis*, see Thrush, Black-throated
—— *torquatus*, see Ouzel, Ring
—— —— *alpestris*, see Ouzel, Alpine Ring
—— *viscivorus*, see Thrush, Mistle
Turner-Ettlinger, D. M., photograph of immature Ringed Plover, plate 37
Turnstone, albinism in, 223; feeding behaviour in arctic Canada, 241-4, plate 49; numbers ringed and recovered 1961, 498, 512; foreign-ringed recovery in Britain, 548; at Minsmere, 586, 587, plate 88a
Twite, albinism in, 224; vagrant in Barycz valley, Poland, 272; numbers

ringed and recovered 1961, 500; foreign-ringed recovery in Britain, 555
Tyto alba, see Owl, Barn

Upton, Rosemary, note on Budgerigars clinging to intruding Barn Owl, 238; on Crossbills feeding on beechmast and hazel nuts, 592
Upupa epops, see Hoopoe
Uria aalge, see Guillemot

Vanellus vanellus, see Lapwing
Venables, L. S. V., and U. M., note on two Cuckoo's eggs in one nest, 444

Wagtail, Black-headed, statistical analysis of Hastings records, 283-97; Hastings records rejected, 368
——, Blue-headed, breeding in Barycz valley, Poland, 254, 271
——, Grey, movements in London suburb, 23; status in Barycz valley, Poland, 265, 271; numbers ringed and recovered 1961, 500
——, Grey-headed, statistical analysis of Hastings records, 283-97; Hastings records rejected, 368
——, Masked, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 368
——, Pied, habitats in London suburb, 5, 8, 11, 16, 23; weight of dead bird, Skomer, January 1962, 98-9, 102; albinism in, 224; melanism in, 225; nesting in aircraft, 464; numbers ringed and recovered 1961, 500, 535; foreign-ringed recovery in Britain, 554
——, "Sykes's", statistical analysis of Hastings records, 283-97
——, White, numbers ringed and recovered 1961, 500, 535; foreign-ringed recovery in Britain, 554
——, Yellow, albinism in, 224; melanism in, 225; numbers ringed and recovered 1961, 500, 535; foreign-ringed recovery in Britain, 554; foreign-ringed recovery in Britain 1960, 556
Wagtail, Yellow-headed, accepted record 1961, 580
Wallcreeper, statistical analysis of Hastings records, 283-97; Hastings records rejected, 362-4
Walton, Frances, note on Oystercatcher with deformed feet, 419, plate 67b
Warbler, Aquatic, status in Barycz valley, Poland, 265, 271; statistical analysis of Hastings records, 283-97; Hastings records rejected, 366, 374; numbers ringed 1961, 502; accepted records 1961, 578
——, Arctic, numbers ringed 1961, 502; accepted records 1961, 579
——, Barred, theory of reversed migration in autumn, 76-86; eating blackberries, 88; breeding in Barycz valley, Poland, 271; statistical analysis of Hastings records, 283-97; Hastings records rejected, 366, 374; numbers ringed 1961, 500
——, Bonelli's, in Co. Cork, 92-3; in Suffolk, 277; on Fair Isle, 278; numbers ringed 1961, 502; accepted records 1961, 579
——, Brown-backed, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 366
——, Cetti's, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 366; ringed 1961, 501; accepted record 1961, 577
——, Dartford, numbers ringed 1961, 500
——, Dusky, on Fair Isle, 190-2; statistical analysis of Hastings records, 283-97; Hastings record rejected, 366; ringed 1961, 502; accepted record 1961, 580
——, Eastern Great Reed, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 366
——, Garden, eating blackberries, 88; displacement experiments on migrating birds, 141; numbers ringed and recovered 1961, 500, 532

Warbler, Grasshopper, albinism in, 224; breeding in Barycz valley, Poland, 254, 271; numbers ringed 1961, 500
——, Great Reed, breeding in Barycz valley, Poland, 252-3, 261, 271; statistical analysis of Hastings records, 283-97; Hastings records rejected, 366; accepted record 1961, 577
——, Greenish, numbers ringed 1961, 502; accepted records 1961, 579
——, Icterine, breeding in Barycz valley, Poland, 257, 271; statistical analysis of Hastings records, 283-97; Hastings records rejected, 366, 374; numbers ringed 1961, 502; accepted records 1961, 578
——, Lanceolated, accepted record 1961, 577
——, Marsh, numbers ringed 1961, 501
——, Melodious, statistical analysis of Hastings records, 283-97; Hastings records rejected, 366; numbers ringed 1961, 502; accepted records 1961, 578
——, Moustached, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 366
——, Olivaceous, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 366; accepted record 1961, 579
——, Orphean, statistical analysis of Hastings records, 283-97; Hastings records rejected, 366
——, Radde's Bush, in Norfolk, 166-7; ringed 1961, 502; accepted record 1961, 580
——, Reed, breeding in Barycz valley, Poland, 252-3, 261, 271; habitats destroyed by chemicals, 431; numbers ringed and recovered 1961, 500, 531; foreign-ringed recoveries in Britain, 554
——, River, on Fair Isle, 137-8, plate 23a; breeding in Barycz valley, Poland, 257, 271; ringed 1961, 501; accepted record 1961, 577
——, Rufous, statistical analysis of Hastings records, 283-97; Hastings record rejected, 366
——, Rüppell's, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings records rejected, 366
Warbler, Sardinian, field identification in autumn, 91; statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 366
——, Savi's, breeding in Barycz valley, Poland, 253, 264, 271, plate 55b; statistical analysis of Hastings records, 283-97; Hastings record rejected, 366; accepted record 1961, 577
——, Sedge, eating blackberries, 88; albinism in, 224; breeding in Barycz valley, Poland, 252-4, 261, 271; numbers ringed 1961, 500; foreign-ringed recovery in Britain, 554
——, Spectacled, field identification in autumn, 91
——, Subalpine, field identification in autumn, 91; accepted record 1961, 579
——, Willow, status in London suburb, 7-8, 11, 16-7, 23; bill deformity in, 69; eating blackberries, 88; albinism in, 224; attacking posturing Robins, 239; breeding in Barycz valley, Poland, 257, 271; numbers ringed and recovered 1961, 500, 532
——, Wood, weather factors preceding migration, 80-3; breeding in Barycz valley, Poland, 257, 271; nest without a dome, 446; numbers ringed 1961, 500; xanthism in, plates 44, 45
——, Yellow-browed, weather factors preceding migration, 80-3; statistical analysis of Hastings records, 283-97; Hastings record rejected, 366; numbers ringed 1961, 502; accepted records 1960, 567, and 1961, 579
Warblers, see also Blackcap, Chiffchaff, Whitethroat
Watson, George E., note on Short-toed Lark with abnormal bill, 237
Waxwing, passage-migrant in Barycz valley, Poland, 272; numbers ringed 1961, 500
Wheatear, eating blackberries, 88; albinism in, 224; melanism in, 225; numbers ringed and recovered 1961, 500, 530
——, Black, statistical analysis of Hast-

ings records, 283-97; Hastings records rejected, 364
Wheatear, Desert, statistical analysis of Hastings records, 283-97; accepted record 1961, 577
——, Eastern Black-eared, statistical analysis of Hastings records, 283-97; Hastings records rejected, 364
——, Eastern Desert, Hastings record rejected, 364
——, Isabelline, statistical analysis of Hastings records, 283-97; Hastings records rejected, 364
——, North African Black, statistical analysis of Hastings records, 283-97; deleted from British list, 342; Hastings record rejected, 364
——, Pied, nesting in aircraft, 463
——, Western Black-eared, statistical analysis of Hastings records, 283-97; Hastings records rejected, 364
——, Western Desert, statistical analysis of Hastings records, 283-97
Whimbrel, albinism in, 223; numbers ringed 1961, 501; at Minsmere, 586, 588
Whinchat, eating blackberries, 88; albinism in, 224; breeding in Barycz valley, Poland, 254, 257, 270; numbers ringed and recovered 1961, 500, 530
Whitethroat, movements in London suburb, 23; eating blackberries, 88; displacement experiments on migrating birds, 141, 142; albinism in, 224; breeding in Barycz valley, Poland, 257, 271; numbers ringed and recovered 1961, 500, 532; foreign-ringed recovery in Britain, 554
——, Lesser, weather factors preceding migration, 80-3; eating blackberries, 88; displacement experiments on migrating birds, 141, 142; changes in direction on migration, 148; albinism in, 224; breeding in Northumberland, 445; numbers ringed 1961, 500
Wigeon, albinism in, 223; melanism in, 224; passage-migrant in Barycz valley, Poland, 272; numbers ringed and recovered 1961, 498, 507; foreign-ringed recoveries in Britain, 545
——, American, accepted record 1961, 568
Wilde, John, Fox Sparrow in Co. Down: a bird new to Great Britain and Ireland, 560-2
Williamson, K., studies of less familiar birds: 117. Scarlet Grosbeak, 130-1
——, ——, see Richardson, R. A.
Winspear-Cundall, A., photograph of female Pintail, plate 39
Witkowski, J., see Mrugasiewicz, A.
Woodcock, alighting on bird-table, 133; albinism in, 223; melanism in, 224; breeding in Barycz valley, Poland, 256, 269; numbers ringed and recovered 1961, 498, 513; foreign-ringed recovery in Britain, 549
Woodlark, albinism in, 224; melanism in, 225; breeding in Barycz valley, Poland, 256, 270; numbers ringed 1961, 499
Woodpecker, Black, breeding in Barycz valley, Poland, 256, 270
——, Great Spotted, status in London suburb, 33; attacks on nest-boxes, 43; taking thistle heads, 165; albinism in, 224; melanism in, 225; breeding in Barycz valley, Poland, 252-3, 256, 261, 270; numbers ringed and recovered 1961, 499, 521; photograph, plate 34
——, Green, albinism in, 203, 224; breeding in Barycz valley, Poland, 256, 270; numbers ringed and recovered 1961, 499, 521
——, Lesser Spotted, albinism in, 224; breeding in Barycz valley, Poland, 252-3, 256, 261, 270; numbers ringed 1961, 501
——, Middle Spotted, breeding in Barycz valley, Poland, 256, 259, 270
Woodpigeon, habitats in London suburb, 5-9, 14, 16-8, 21, 23, 27-30; albinism in, 223; breeding in Barycz valley, Poland, 256, 269; numbers ringed and recovered 1961, 499, 520; foreign-ringed recovery in Britain, 552
Woodward, Ian, note on egg-eating by hen Blackbird, 591
Wren, habitats in London suburb, 6-8, 10, 15-6, 27; feeding on blackberries, 88; weight of dead birds, Skomer, January 1962, 98-9, 102; killed by Water Rail, 132; albinism in, 224;

breeding in Barycz valley, Poland, 257, 270; numbers ringed and recovered 1961, 500, 527
Wryneck, albinism in, 224; breeding in Barycz valley, Poland, 256, 270; numbers ringed and recovered 1961, 499

Xema sabini, see Gull, Sabine's

Yellowhammer, albinism in, 224; breeding in Barycz valley, Poland, 253, 257, 259, 272; numbers ringed and recovered 1961, 501
Yellowlegs, Greater, statistical analysis of Hastings records, 283-97; Hastings record rejected, 356; accepted record 1961, 572
——, Lesser, statistical analysis of Hastings records, 283-97; Hastings records rejected, 356; accepted records 1961, 572

Zonotrichia albicollis, see Sparrow, White-throated

Printed in England by Diemer & Reynolds Ltd., Eastcotts Road, Bedford
Published by H. F. & G. Witherby Ltd., 61/62 Watling Street, EC4